



## CAM PMM - INTERMITTENT MOTION CARTONER



 Customers rate us on Guaranteed Reviews Company, [have a look at their feedback.](#)

**SKU:** 11617 | **Categories:** [Cartoner / cartoning machine](#), [Cartoning machine](#), [Packaging machines](#)

### PRODUCT DESCRIPTION

### HORIZONTAL CARTONING MACHINE WITH INTERMITTENT MOVEMENTS.

Video in running condition available

Options : Spoon deposit + flat leaflets

Previous use: tubes and bottles

4 point hot melt tamper evident

Documentation available

### FORMATS

Current format: 63 x 70 x 137 mm

Width: 15 mm - 90 mm max

Height: 12 mm - 70 mm max

Length: 50 mm - 200 mm max

### Product:

- blisters, strips, trays, rigid or flexible tubes, bottles, sachets, soaps and other food or cosmetic products.



### **Usable material:**

- Compact cardboard boxes with a weight of 220 - 400 gr/m<sup>2</sup> or micro-corrugated cardboard boxes with a weight of 450 - 600 gr/m<sup>2</sup>. Grooved and pre-glued boxes (other types of boxes on the back).

### **Sealing:**

- By inserting tabs or by hot glue distributed by commercially available gluing devices.

### **Feeding:**

- automatic or manual

### **Electrical voltage:**

- Three-phase alternating 220 or 380 Volt 50 Hz (other voltages on request).

Machine motor power 0,55 Kw

Vacuum pump motor power 0,42 Kw

Transformer power and service circuits 0,95 Kw

Total power 1,92 Kw

Absorption of the glue group 3,9 Kw

### **Air consumption:**

- Absorption: approx. 17 NL per minute, with a network pressure of 6 atm. (Only in the presence of additional pneumatic units).

### **Mechanical capacity:**

- 25 - 140 strokes per minute.

### **Conditioning speed:**

- depends on the type of feeding and on the characteristics of the product to be processed.

### **WEIGHT:**

- Net weight 1050 kg.

- Gross weight 1400 Kg.





