



## CDA E-FILL - BOTTLE / VIAL FILLING LINE



 Customers rate us on Guaranteed Reviews Company, [have a look at their feedback.](#)

**SKU:** 12461 | **Categories:** [Bottle / vial / ampoule filling machine](#), [Filling machine / filler](#), [Packaging machines](#)

### PRODUCT DESCRIPTION

Manufacturer : CDA

Model : E-fill

Year : 2022

Type: Monobloc bottle filling line

Output: 25 units per minute

Available sizes: 20 mm and 25 mm

Dosing type: peristaltic (CDA K-one pump)



Number of filling heads: 1 (a second one can be installed; this may be subject to an additional quote)

Nominal dosing volume (min/max): 5 ml / 1 L

Rotary screw capping or snap-on capping (VS400)

Detection of missing or incorrectly fitted caps: yes

Self-adhesive label system on a roll

Maximum chuck diameter = 75 mm

Maximum roll diameter = 260 mm

Maximum labelling height = 155 mm

Label trim allowance = 3-5 mm

Minimum weight of the ribbon used: 90 g

Feeding system for containers using a manual accumulation table (TRI)


Output accumulation table


PLC-controlled HMI: Omron Sysmac CP1L


Spare parts available

Weight: approx. 300 kg

A video showing the machine in operation in our workshops is available







VA/γ	Hz	hp	kW	rpm	A/Δ/Y
230/400	50	0,15	0,11	1310	0,86/0,5
240/415	50	0,15	0,11	1310	0,86/0,5
280/440	60	0,18	0,13	1570	0,9/0,52
280/480	60	0,18	0,13	1570	0,86/0,5

VA/γ	Hz	hp	kW	rpm	A/Δ/Y
230/400	50	0,08	0,06	1310	0,5/0,4
240/415	50	0,08	0,06	1310	0,5/0,4
280/440	60	0,1	0,07	1480	0,5/0,4
280/480	60	0,1	0,07	1480	0,5/0,4

VA/γ	Hz	hp	kW	rpm	A/Δ/Y
230/400	50	0,15	0,11	1310	0,86/0,5
240/415	50	0,15	0,11	1310	0,9/0,52
280/440	60	0,18	0,13	1570	0,9/0,52
280/480	60	0,18	0,13	1570	0,86/0,5

