



CERAM TS 4 - SIEVE



 Customers rate us on Guaranteed Reviews Company, [have a look at their feedback.](#)

SKU: 11363 | **Categories:** [Rotary sieve](#), [Sieve and screening machine](#)

PRODUCT DESCRIPTION

Centrifugal SIEVE TS4 is specially designed to be installed in line with our pneumatic vacuum transfer system SUPERVAC. It is intended for the removal of foreign bodies (safety sieving), for the reduction of aggregates and for the removal of particles larger than the desired granulometry from pulverulent products.

Its main applications are :

- In the pharmaceutical industry: emptying of big bag raw materials, filling of containers before compression, recovery under dryers or mixers, safety sieving before dosing/weighing.
- In food industry: sieving of raw materials in weighing room, recovery at atomizer output, mixer...
- In the chemical industry; filling of drums or big bags, reactor feeding, recovery at the outlet of dryer, blender...



Very compact, light and easy to handle (frame on swivel/locking castors) (operating weight = 101 kg) allows flow rates of up to 20,000 litres/hour and more, depending on the product and desired final granulometry.

Very high quality construction, all stainless steel 316 L.

Vacuum tight (5 mbar absolute).

Quick disassembly for easy cleaning when changing the product. batches or products. Very easy maintenance, very low maintenance cost.

GRID D.140 X 800

Mesh 2 MM

MOTORIZED SCREW FEEDING

FULL TILT OPENING

MOBILE CHASSIS





