



MULTIVAC R145 -THERMOFORMING PACKAGING MACHINE



 Customers rate us on Guaranteed Reviews Company, [have a look at their feedback.](#)

SKU: 11750 | **Categories:** [Thermoforming and sealing machine](#), [Thermoforming machine](#)

PRODUCT DESCRIPTION

Automatic thermoforming machine MULTIVAC

Type R145 N°145384

Year 2011

Stainless steel construction

Rates: 6 cps / min

Approximate dimensions: Length = 4120 mm // Width = 1039 mm // H = 1936 mm

Loading station length: 1200 mm

Packaging material :

Bottom film (rigid): type APE/EVOH/PE width 357 mm, thickness 400 µm, sealable, thermoforming

Top film (soft): PET/PE type, width 355 mm, thickness 70 µm, weldable, printed in register possible

IP06 servo control, Windows XPe operating system

Equipped with film edge winders

Exit belt length 1100 mm x width 400 mm

This machine was purchased new and maintained by a Multivac network sub-contractor.



Technical documentation provided.

Currently has 2 formats, sold with lower and upper film stocks.

Current equipment state as new because used only few hours in production. (661 hours / 135 711 cycles)






Format 4 voies 2 rangées (Lot de 2 barquettes)

FBI = 320 UNTERFOLIE*
FBO = 320 OBERFOLIE**

Cadence demandée : 24 barquettes / minute

Poids cible : 100 g à 120 g

Sens de passage sur la triuse





Format 2 voies 1 rangée

