PESTER PEWO FOLD 1 - CELLOPHANE WRAPPING MACHINE

Customers rate us on Guaranteed Reviews Company, <u>have a look at their feedback.</u>

SKU: 12239 | **Categories:** <u>Cellophane wrapping machine</u>, <u>Overwrapping / shrink wrap machine</u>, <u>Packaging machines</u>

PRODUCT DESCRIPTION

Manufacturer: Pester Pac Automation
Model: Pewo-fold 1
Year: 2003
Type: Cellophane wrapping machine

Film type: OPP
Film width: 90–300 mm
Film thickness: 0.020–0.050 mm
Max. roll diameter: 350 mm.
Max. capacity: 50 strokes/min

Format (min): 60 mm x 30 mm x 60 mm
Format (max):250 mm x 250 mm x 140 mm

Formats:
2x2 = 90 x 100 x 54: capacity: 50 cycles/min
2x3 = 90 x 150 x 54: capacity: 35 cycles/min
2x4 = 90 x 200 x 81: capacity: 18 cycles/min

Power supply: 4 x 400 V + N + PE / 50-60 Hz

Installed power: 4 kW (6 A)

Air pressure: min. 4 bar / max. 10 bar

Documentation available

contact@osertech.eu / +33 2 37 90 28 78

pester pac automation D-87787 Wolfertschwenden Germany	pester pac automation
Type Typ	PEWO—fold 1
Masch. Nr. Machine no.	10715 A	Baujahr Year of construction	2003
Anschluss-Spannung Supply voltage	3 x 400 V+N+PE / 50—60 Hz
Leistungsaufnahme Power consumption	4 kW / 6 A	Absicherung d. Zuleitung Fuse rating (max.)	20 A
Betriebsdruck Operating pressure	4 bar		
D.B.P.			

SM 070-60-010-P1-45-S1-B1

Art-Nr:	19202602-004	IP 64/65	Th.-Cl.: F
HW:	000100		
Mo:	1,1 Nm	Haltebremse:	
Ism:	6,0 A	Un: 24 VDC	Pn: 12 W
Km:	0,78 Nm/A		
Un:	400 V	Thermo:	PTC
Ser.-Nr.:	200316.0920	nn:	6.000 min-1
VT VPWM	E207686 / E21		

ELAU AG
D-97828 Marktheidenfeld
Tel. +49(0)9391/606-0

VOGEL 72644 Oberbolhingen
Made in Germany
A.-Nr. 410947 007
Id.Nr. 278993
Typ MPRF 01
I= 5,0 Bj 21 / 03

41 42 43

Control panel TC 911

GREEN = Preset value   RED = Actual value

Modify preset value for temperature:

1X SET UP → Indication "red" = Preset value

Modify preset value with buttons △ or ▽

1X SET UP → Indication "green" = Modified preset value

Attention: Any other parameters must be modified by qualified persons only !

pester pac automation
Techn. Programming

pester pac automation

F1 F2 F3 F4 F5 F6 F7 F8

F9 F10 F11 F12 F13 F14 F15 F16

STOP START

WYŁĄCZNIK AWARYJNY

contact@osertech.eu / +33 2 37 90 28 78

pester pac automation · Hauptstr. 50 · 87787 Wolfertschwenden, Germany

pester
pac automation

Product: Henkel
Productno.: 2 Layers of 3 SOAPS

54
150 90

124
316 197

108
300 90

108
300 180

Single package: 90.0 x 150.0 x 54.0 mm
Sales unit: 316.0 x 124.0 x 197.0 mm
(310.0 x 118.0 x 185.0 mm)
8 Single packages / sales unit
(2 x 2 x 2)

19.03.03 CS

pester pac automation · Hauptstr. 50 · 87787 Wolfertschwenden, Germany

pester pac automation

Product: Henkel
Productno.: 3 Layers of 4 SOAPS

Single package: 90.0 x 200.0 x   81.0 mm
Sales unit: 216.0 x 178.0 x 197.0 mm
               (210.0 x 172.0 x 185.0 mm)
    4 Single packages / sales unit
               (2 x 1 x 2)

19.03.03 CS

Other bundle dimensions are available on request.

pester pac automation · Hauptstr. 50 · 87787 Wolfertschwenden, Germany

pester pac automation

Product: Henkel
Productno.: 2 Layers of 2 SOAPS

Single package: 90.0 x 100.0 x   54.0 mm
Sales unit: 316.0 x 124.0 x 197.0 mm
               (310.0 x 118.0 x 185.0 mm)
   12 Single packages / sales unit
               (2 x 3 x 2)

19.03.03 CS

contact@osertech.eu / +33 2 37 90 28 78