



PESTER PEWO - PACK 450 - BUNDLING MACHINE



 Customers rate us on Guaranteed Reviews Company, [have a look at their feedback.](#)

SKU: 12238 | **Categories:** [Overwrapping / shrink wrap machine](#), [Packaging machines](#), [Shrink wrapping machines](#)

PRODUCT DESCRIPTION

Manufacturer: Pester pac automation
Model: PEWO-pack 450 (with PEWO-therm tunnel)
Year: 2003
Type: PE shrink wrapper/band wrapper with shrink tunnel

Application: bottles, vials, vertical cartons, etc.
Maximum speed: 60 products/min
Passage width: 450 mm
Configurable batch sizes
Product guidance via upper belts and support rails



Film type: PE
Film width: 50-250 mm
Film thickness: 0.025-0.10 mm
Max. roll diameter 300 mm.

Power supply: 3×400 V + N + PE, 50-60 Hz.
Installed power: 10 kW (≈ 19.0 A)
Air pressure: ≈ 5-10 bar

The machine is sold with a dual-position feed conveyor:

1. Feeding system for shrink wrapper
2. Accumulation conveyor feeder for manual packaging

Various formats available
Complete documentation





LEROY SOMER		N° 200875-2002		CE	
IP	IK	DR	cl. F	40 °C	kg
S ±	%	c/h	C	uf	V
			C	uf	V
V	Hz	min-1	kW	cos φ	A
430	50	1400	25	.75	1.2
Y400-430	50	1750	25	.8	.75
Y415	50	2210	25	.7	.65
Y440-450	50	2410	3	.8	.65









