ZEPPELIN - 400 L HOPPER / RECEIVER CARTRIDGE FILTER



Customers rate us on Guaranteed Reviews Company, have a look at their feedback.

SKU: 11794 | **Categories:** Cartridge filter, Filter

PRODUCT DESCRIPTION

Application: Powder receiver filter.

Stainless steel unit with external part in stainless steel 1.4301 for feeding and dosing powders by depressurization.

This equipment can be used as a hopper in a conveying system where the filters allow the separation of air / product (powder).

ASSOCIATED MATERIALS: Aerzen GM7L / Infastaub MKR 0-1/20 - Blower + Filter.

1 - UEB 800 ECO JET FILTER, VACUUM TIGHT

Filter surface: 14,0 m2

contact@osertech.eu / +33 2 37 90 28 78

Filter material: FM02

Depressurisation: 500 mbar

ATEX classification

Sold with new filters.

2 - 0.4 M3 HOPPER WITH TANGENTIAL INLET.

3 - LEVEL SENSOR RN 3001A (ATEX)

Execution : rotary vane

4 - ROTARY VALVE A1 250/10 WC-II

Dosing capacity: approx. 3000 kg/h

Power: 0,55 kW

ATEX classification

5 - PNEUMATIC CLOSING VALVE

Nominal diameter: 250 mm

6 - DOWN PIPE WITH COMPRESSED AIR INJECTION SYSTEM ON THE SIDES.

7 - PNEUMATICALLY OPERATED GATE VALVE.

Nominal diameter: 250 mm

contact@osertech.eu / +33 2 37 90 28 78

contact@osertech.eu / +33 2 37 90 28 78

contact@osertech.eu / +33 2 37 90 28 78

contact@osertech.eu / +33 2 37 90 28 78

contact@osertech.eu / +33 2 37 90 28 78