





## ISHIDA CCW-R-214W / 30 - PESEUSE ASSOCIATIVE 14 TÊTES



 Nos clients évaluent nos services via la Société des Avis Garantis, [découvrez tous leurs avis.](#)

**UGS :** HE-11655 | **Catégories :** [Machine de packaging / conditionnement](#), [Peseuse / doseuse](#), [Peseuse associative \(multi-têtes\)](#)

### DESCRIPTION TECHNIQUE

ISHIDA CCW-R-214W / 30

Doseuse associative 14 tetes

Machine utilisée auparavant avec des lardons.

Vitesse: 110 coups par minute avec une alimentation de 200 grammes

En parfait état.



**DIMENSIONS (unit: mm)**

**CCW-R-214W-S/15**  
**CCW-R-214W-S/20**  
**CCW-R-214W-S/30**

**SPECIFICATIONS**

Model	CCW-R-214W-S/15	CCW-R-214W-S/20	CCW-R-214W-S/30
Weighing Capacity/ Range (per single dump)	up to 500g (up to 1,000g)	up to 500g (up to 1,000g)	up to 500g (up to 1,000g)
Weighing Accuracy (MAX)*	X<0.5g-1.0g X<1.0g-2.0g X<0.5g-1.0g X<1.0g-2.0g X<0.5g-1.0g X<1.0g-2.0g		
Maximum Volume for Weighing (per single dump)	2 litres	3 litres	4.5 litres
Weighing Speed (MAX)**	180 WPM/180 WPM***	140 WPM/180 WPM***	130 WPM/180 WPM***
Minimum Graduation	0.1 g 0.2 g	0.1 g 0.2 g	0.1 g 0.2 g
Touch Screen Display (ICU)	12.1" TFT Color LCD		
Weigh Cell	Double-beam strain gauge load cell		
Number of Presets	200		
Material	Product surfaces are made of stainless steel or other sanitary materials.		
Machine Weight	400 kg	550 kg	
Options	Various options are available - Please contact Heat and Control.		
Structure of Waterproof Machines	IP66 Approval		
Air Consumption (Waterproof models)	110 L/min (ANR) 0.5 Mpa Air Inlet: 1/8" (3/8" for air dryer connection) Note: Air compressor must be provided by the end user.		

\* Design and specifications are subject to change without notice.  
\*\* Depends on target weight, weighing speed and conditions.  
\*\*\* Depends on product shape, product density, target weight, etc.  
\*\*\* This is the average and not the maximum specification.

**ISHIDA**  
ISHIDA CO., LTD.  
44 SANNO-CHO, SHOGIN, SAKYO-KU  
KYOTO, 606-8392 JAPAN  
PHONE: 81-75-771-4141  
FACSIMILE: 81-75-751-1634  
URL: <http://www.ishidajapan.com>

**HEAT AND CONTROL**  
HEAT AND CONTROL, INC.  
21121 CABOT BLVD.  
HAYWARD, CA 94545-1132 USA  
PHONE: 1(800)327-5880  
1(510)259-0500  
FACSIMILE: 1(510)259-0600  
[www.heatandcontrol.com](http://www.heatandcontrol.com)  
info@heatandcontrol.com

Specifications and design are subject to change without notice.

Printed on recycled paper. Printed in Japan. 606(SK) 02 No. 1564

